## Package: SNSFdatasets (via r-universe)

August 28, 2024

Type Package

Title Download Datasets from the Swiss National Science Foundation (SNF, FNS, SNSF)

Version 0.1.1

Date 2024-01-31

**Description** Download and read datasets from the Swiss National Science Foundation (SNF, FNS, SNSF; <https://snf.ch>). The package is lightweight and without dependencies. Downloaded data can optionally be cached, to avoid repeated downloads of the same files. There are also utilities for comparing different versions of datasets, i.e. to report added, removed and changed entries.

License GPL-3

URL http://enricoschumann.net/R/packages/SNSFdatasets/,

https://git.sr.ht/~enricoschumann/SNSFdatasets,

https://github.com/enricoschumann/SNSFdatasets

LazyLoad yes

ByteCompile yes

Repository https://enricoschumann.r-universe.dev

RemoteUrl https://github.com/enricoschumann/snsfdatasets

RemoteRef HEAD

**RemoteSha** f29ddc5bdd68b56993e661e830336b90c3cbad39

### Contents

SNSFdatasets .					2
----------------	--	--	--	--	---

4

Index

SNSFdatasets

#### Description

Download datasets from the Swiss National Science Foundation (SNF, FNS, SNSF) in CSV format.

#### Usage

read\_dataset(filename, detect.dates = TRUE, ...)

#### Arguments

dataset	a character vector. When of length greater than one, datasets are only down- loaded, but not read. Currently supported are:
	• Grant
	• GrantWithAbstracts
	Person
	<ul> <li>OutputdataScientificPublication</li> </ul>
	<ul> <li>OutputdataUseInspired</li> </ul>
	• OutputdataPublicCommunication
	• OutputdataCollaboration
	• OutputdataAcademicEvent
	• OutputdataAward
	• OutputdataDataSet
	<ul> <li>OutputdataKnowledgeTransferEvent</li> </ul>
dest.dir	a directory; if NULL, a tempdir is used
detect.dates	logical: if TRUE, columns consisting of entries such as 2000-10-31T00:00:00Z are converted to Date; empty rows in such columns are ignored and become NA
filename.old	string: the filename
filename.new	string: the filename
filename	string: the filename
match.column	string: the name of the column to use for matching entries in old and new file
	arguments to be passed to download.file (for fetch_datasets)

#### **SNSF**datasets

#### Details

fetch\_datasets downloads datasets in CSV format from the SNSF's website and stores them, with a date prefix, in directory dest.dir. If the latter is NULL, a temporary directory is used (through tempdir); but much better is to use a more-persistent storage location. If a file with today's date exists in dest.dir, that file is read, and nothing is downloaded. If more than one dataset is specified, those files are downloaded (if not current in dest.dir) but not read.

For downloading, function download.file is used. If it fails, fetch\_datasets returns NULL. Settings can be passed via .... See download.file for options; in particular, see the hints about timeout.

compare\_datasets will match old and new dataset via the specified match.column and report

- added lines (in new, but not in old file),
- removed lines (in old, but not in new file), and
- changed lines (in both files, but with differing content).

read\_dataset is a simple wrapper of read.table with appropriate settings.

#### Value

A data.frame for fetch\_datasets and read\_dataset. For compare\_datasets, a list of three components named added, removed and changed.

#### Author(s)

Silvia Martens and Enrico Schumann

#### References

https://data.snf.ch/datasets

#### See Also

download.file; options (timeout, in particular)

#### Examples

# Index

compare\_datasets (SNSFdatasets), 2

data.frame, 3
Date, 2
download.file, 2, 3

fetch\_datasets(SNSFdatasets), 2

list,3

NA, 2

options, 3

read.table,3
read\_dataset(SNSFdatasets),2

SNSFdatasets, 2
SNSFdatasets-package (SNSFdatasets), 2

tempdir, 2, 3