

# Examples for the datetimestamps package

Enrico Schumann

mailto:es@enricoschumann.net

## convert\_date

Convert dates in numeric external formats (e.g. from MATLAB or Excel) to Date.

```
> convert_date(40000, "excel")
```

```
[1] "2009-07-06"
```

```
> convert_date(725935, "matlab")
```

```
[1] "1987-07-17"
```

## convert\_tz

Convert a timestamp from one timezone to another.

```
> convert_tz("2016-05-10 12:00:00", "Europe/Berlin", "America/Chicago")
```

```
[1] "2016-05-10 05:00:00 CDT"
```

## Business days

See ?business.days.

```
> is_weekend(as.Date("2017-1-5"))
```

```
[1] FALSE
```

```
> next_businessday(as.Date("2017-1-5")) ## there is also 'previous_businessday'
```

```
[1] "2017-01-06"
```

```
> next_businessday(as.Date("2017-1-5"), shift = 2) ## short-hand: 'next_bday'
```

```
[1] "2017-01-09"
```

## Guess Timestamp Format

```
> s <- c(" 1999-08-19 10:00",  
        "19.8.1999 10:00", ## Central-European, e.g. Germany  
        "8/19/99 10:00:00") ## US  
> guess_datetime(s)
```

```
[1] "1999-08-19 10:00:00 UTC" "1999-08-19 10:00:00 UTC"  
[3] "1999-08-19 10:00:00 UTC"
```

## Days of the week (or some other calendar period)

```
> last_weekday(5, as.Date("2017-1-1")) ## last Friday of Jan 2017
```

```
[1] "2017-01-27"
```

```
> nth_weekday(1, as.Date("2017-1-1"), 2) ## second Monday of Jan 2017
```

```
[1] "2017-01-09"
```

```
> dates <- seq(as.Date("2012-1-1"), as.Date("2013-4-15"), by = "day")
```

```
> nth_day(dates, period = "quarter", n = "first")
```

```
[1] "2012-01-01" "2012-04-01" "2012-07-01" "2012-10-01" "2013-01-01"  
[6] "2013-04-01"
```

```
> nth_day(dates, period = c("Jan", "April"), n = "first")
```

```
[1] "2012-01-01" "2012-04-01" "2013-01-01" "2013-04-01"
```

```
> nth_day(dates, period = c("Jan", "April"), n = "last")
```

```
[1] "2012-01-31" "2012-04-30" "2013-01-31" "2013-04-15"
```

```
> nth_day(dates, period = c("Jan", "April"), n = c(2, 5))
```

```
[1] "2012-01-02" "2012-01-05" "2012-04-02" "2012-04-05" "2013-01-02"  
[6] "2013-01-05" "2013-04-02" "2013-04-05"
```

```
> toLatex(sessionInfo())
```

- R version 4.6.0 (2026-04-24), x86\_64-pc-linux-gnu
- Locale: LC\_CTYPE=en\_US.UTF-8, LC\_NUMERIC=C, LC\_TIME=en\_US.UTF-8,  
LC\_COLLATE=en\_US.UTF-8, LC\_MONETARY=en\_US.UTF-8, LC\_MESSAGES=en\_US.UTF-8,  
LC\_PAPER=en\_US.UTF-8, LC\_NAME=C, LC\_ADDRESS=C, LC\_TELEPHONE=C,  
LC\_MEASUREMENT=en\_US.UTF-8, LC\_IDENTIFICATION=C
- Time zone: Etc/UTC
- TZcode source: system (glibc)
- Running under: Ubuntu 24.04.4 LTS
- Matrix products: default
- BLAS: /usr/lib/x86\_64-linux-gnu/openblas-pthread/libblas.so.3
- LAPACK: /usr/lib/x86\_64-linux-gnu/openblas-pthread/libopenblas-r0.3.26.so  
; LAPACK version 3.12.0
- Base packages: base, datasets, graphics, grDevices, methods, stats, utils
- Other packages: datetimetools 0.6-6
- Loaded via a namespace (and not attached): buildtools 1.0.0, cli 3.6.6,  
compiler 4.6.0, evaluate 1.0.5, knitr 1.51, maketools 1.3.2, rlang 1.2.0, sys 3.4.3,  
tools 4.6.0, xfun 0.57